

SPECTRUM SRDI Mixed Bed DI Resin

Section 1: Identification of the substance/mixture and of the company undertaking

1.1 Product Identifier: SRDI-RESIN-25L

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the preparation: Water treatment

1.3 Details of the supplier of the safety data sheet:

Manufacturer/Supplier: St Leonard's Road 20/20 Maidstone Kent ME16 0LS United Kingdom

T: +44 (0)1622 691886 **F:** +44 (0)1622 621932

Section 2: Hazards identification

2.1 Classification of the substance or mixture: Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

The product is not a dangerous substance according to Directive 67/548/EEC.



Xi; Irritant

R41: Risk of serious damage to eyes.

Information concerning particular hazards for human and environment: void

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

styrene-divinylbenzene-copolymer with trialkyl ammonium groups in OH- form styrene-divinylbenzene-copolymer with sulfonated groups in H- form



Hazard statements:

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards:

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Section 3: Composition/information on ingredients

3.1 Chemical characterization: Mixtures

Dangerous Components:			
CAS: 69011-18-3 EC number: Polymer	styrene-divinylbenzene-copolymer with trialkyl ammonium groups in OH- form Xi R41 Eye Dam. 1, H318	25-50%	
CAS: 69011-20-7 EC number: Polymer	styrene-divinylbenzene-copolymer with sulfonated groups in H-form Xi R41 Eye Dam. 1, H318	10-<25%	

Non-dangerous Components:			
CAS: 7732-18-5 EINECS: 231- 791-2	water	25-50%	

Section 4: First aid measures

4.1 Description of first aid measures:

General information

Instantly remove any clothing soiled by the product.

People who have inhaled the product or the brand developed fumes or have come into contact with the product may not showimmediate symptoms.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Position and transport in a stable posture on side.

After inhalation: Supply fresh air; consult doctor in case of symptoms.



After skin contact: Instantly wash with water and soap and rinse thoroughly. **After eye contact:** Rinse opened eye for several minutes under running water.

If symptoms persist, consult doctor.

After swallowing: Induce vomiting, only if person affected is fully conscious.

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available

Section 5: Firefighting measures

5.1 Extinguishing media: Suitable extinguishing agents:

Water spray, foam, carbon dioxide, dry extinguishing agents

5.2 Special hazards arising from the substance or mixture, can be released in case of fire:

Nitrogenoxides(NO)

Carbon monoxide (CO)

Carbon dioxide (CO2)

Sulphuroxides (SO2)

5.3 Advice for firefighters:

Protective equipment: We ar self-contained breathing apparatus.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water. If material reaches soil informauthorities responsible for such cases.

6.3 Methods and material for containment and cleaning up:

Collectmechanically.

Dispose of contaminated material as waste according to chapter 13.

Absorb liquid components with liquid-binding material.

6.4 Reference to other sections:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Section 7: Handling and storage

7.1 Precautions for safe handling:

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

The product is combustible.

Protectagainstelectrostaticcharges.



7.2 Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and containers:

Store only in the original container.

Information about storage in one common storage facility

Do not store with foodstuffs, animal feed and flammable materials.

Further information about storage conditions:

Keepcontainertightlysealed.

Store in cool, dry conditions in well-sealed containers.

Protect from heat and direct sunlight.

Keep at temperature not exceeding 40 °C.

Recommended storage temperature: -10- +40 °C

7.3 Specific end use(s): No further relevant information available.

Section 8: Exposure controls/personal protection

Additional information about design of technical systems: No further data.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the work place.

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures should be adhered to in handling the chemicals.

Instantly remove any soiled and impregnated garments.

Do not inhale dust/smoke/mist.

Avoid contact with the eyes.

Do not eat, drink or smoke while working.

Wash hands during breaks and at the end of the work.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus.

Protection of hands:

 $The glove \, material \, has \, to \, be \, impermeable \, and \, resistant \, to \, the \, product / \, the \, substance / \, the \, preparation.$

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

 $Selection \, of \, the \, glove \, material \, on \, consideration \, of \, the \, penetration \, times, \, rates \, of \, diffusion \, and \, the \, degradation \, degrad$

Material of gloves

PVC gloves

Nitrile rubber, NBR

Chloroprenerubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Eyeprotection: Tightly sealed safety glasses (EN 166)

Body protection: Protective work clothing.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical pro	operties			
General Information				
Form	Solid			
Colour	Darkbrown			
Smell	Amine-like			
Odour threshold	Notdetermined			
pH-value (100 g/l) at 20°C	6-9			
Change in condition				
Melting point/Melting range	Notdetermined			
Boiling point/Boiling range	Notdetermined			
Flash point	Notapplicable			
Inflammability (solid, gaseous)	Notdetermined			
Ignition temperature				
Decomposition temperature	Notdetermined			
Self-inflammability	>500°C			
Danger of explosion	Product is not explosive			
Critical values for explosion				
Lower	Notdetermined			
Upper	Notdetermined			
Vapour pressure	Notapplicable			
Density at 20C	1.1kg/L			
Settled apparent density at 20C	600-800kg/m ³			
Relative density	Notdetermined			
Vapour density	Notapplicable			
Evaporation rate	Notapplicable			
Solubility in/Miscibility with				
Water	Unsoluble			
Partition coefficient (n-octanol/water)	Notdetermined			
Viscosity				
Dynamic	Notapplicable			
Kinematic	Notapplicable			
9.2 Other information	Nofurtherrelevantinformationavailable			

Section 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. No decomposition if used and stored according to specifications.



10.3 Possibility of hazardous reactions: No dangerous reactions known

10.4 Conditions to avoid: Heat, ignition source

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: carbon monoxide

carbon dioxide nitrogen oxides (NOx) sulphur oxides (SOx)

Section 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity:

LD/LC50 values that are relevant for classification: Oral LD50 > 2000 mg/kg (rat)

Primary irritant effect: **ontheskin:** Noirritant effect.

on the eye: Strong irritant with the danger of severe eye injury.

Sensitization: No sensitizing effect known.

Section 12: Ecological information

12.1 Toxicity

Aquatictoxicity: No further relevant information available.

- **12.2** Persistence and degradability: No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobilityin soil:** No further relevant information available.

Ecotoxical effects:

Other information: No ecological data available.

Additional ecological information: General notes:

Water hazard class 1 (Self-assessment): slightly hazardous forwater.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

12.5 Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

12.6 Otheradverseeffects: No further relevant information available.

Section 13: Disposal Considerations

13.1 Waste treatment methods recommendation:

Contact manufacturer for recycling information. Disposal according to official regulations.

19 00 00 – Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use



19 08 00 – Wastes from waste water treatment plants not otherwise specified

19 08 06 - Saturated or spent ion exchange resins

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Section 14: Transport Information

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG,	Void
IATA	
14.3 Transport hazard class(es) ADR, ADN, IMDG,	Void
IATA	
Class	
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Notapplicable
14.7 Transport in bulk according to Annex II of	Notapplicable
MARPOL73/78 and the IBC Code	
Transport/Additional information:	Not dangerous according to the above regulations
UN "Model Regulation":	-
14.1 UN-Number ADR, ADN, IMDG, IATA	Void

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



Signal word Danger

Hazard-determining components of labelling:

styrene-divinylbenzene-copolymer with trialkylammonium groups in OH- form styrene-divinylbenzene-copolymer with sulfonated groups in H-form

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P280 Wearprotective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IFINEYES: Rinse cautiously with waterforseveral minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

National regulations

 $\textbf{Waterhazard class:} \ Waterhazard\ class\ 1\ (Self-assessment): slightly\ hazardous forwater.$

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Section 16: Other Information

16.1 These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H318 Causes serious eye damage. R41 Risk of serious damage to eyes.

Department issuing data specification sheet:

Product safety department:

Abbreviations and acronyms:

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Date 08-02-2016 Version 0216v2